

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Chip-Interleaved

[Advanced Search](#)
[Preferences](#)

[New! View and manage your web history](#)

Web

Results 1 - 10 of about 748 for **Chip-Interleaved** . (0.18 seconds)

[PDF] Chip-interleaved block-spread CDMA for the downlink with inter ...

File Format: PDF/Adobe Acrobat

Page 1. Page 2. Page 3. Page 4.

ieeexplore.ieee.org/iel5/7897/21766/01009972.pdf - [Similar pages](#) - [Note this](#)

[PDF] Chip-Interleaved Block-Spread CDMA Versus DS-CDMA for Cellular ...

File Format: PDF/Adobe Acrobat

Abstract—A so-termed **chip-interleaved** block-spread (CIBS) ... [23] S. Zhou, G. B. Giannakis, and C. Le Martret, "**Chip interleaved** block ...

ieeexplore.ieee.org/iel5/7693/28152/01259411.pdf - [Similar pages](#) - [Note this](#)

[[More results from ieeexplore.ieee.org](#)]

Chip-Interleaved Block-Spread Code Division Multiple Access - Zhou ...

A novel multiuser interference MUI free code division multiple access CDMA transceiver for frequency selective multipath channels is developed in this paper ...

citeseer.ist.psu.edu/zhou02chipinterleaved.html - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

Chip-Interleaved Block-Spread CDMA versus DS-CDMA for Cellular ...

A so termed **chip interleaved** block spread CIBS code division multiple access CDMA system has been introduced for cellular applications in the presence of ...

citeseer.ist.psu.edu/657740.html - 20k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from citeseer.ist.psu.edu](#)]

[PDF] A Low-rate Code-spread and Chip-interleaved Time-hopping UWB System

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Here we consider an uncoded **chip-interleaved** time-hopping. (TH) UWB system with K users. ... spread **chip-interleaved** TH-UWB system with iterative mul- ...

www.288.pair.com/ciss/ciss/numbered/49.pdf - [Similar pages](#) - [Note this](#)

Chip Interleaved Block-Spread Code-Division Multiple Access - What ...

What does CIBS-CDMA stand for? Definition of **Chip Interleaved** Block-Spread Code-Division Multiple Access in the list of acronyms and abbreviations provided ...

acronyms.thefreedictionary.com/Chip+Interleaved+Block-Spread+Code-Division+Multiple+Access - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from acronyms.thefreedictionary.com](#)]

Joint Bit- and Chip-Interleaved Direct Sequence - What does BCIDS ...

What does BCIDS stand for? Definition of Joint Bit- and **Chip-Interleaved** Direct Sequence in the list of acronyms and abbreviations provided by the Free ...

acronyms.thefreedictionary.com/Joint+Bit+and+Chip-Interleaved+Direct+Sequence - 24k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from acronyms.thefreedictionary.com](#)]

2-Dimensional OVFS Spread/Chip-Interleaved CDMA -- LIU and ADACHI ...

In this paper, we propose a generalized **chip-interleaved** CDMA with 2-dimensional (2D) spreading using orthogonal variable spreading factor (OVFS) codes to ...

ietcom.oxfordjournals.org/cgi/content/abstract/E89-B/12/3363 - [Similar pages](#) - [Note this](#)

2-Dimensional OVFS Spread/Chip-Interleaved CDMA -- LIU and ADACHI ...

Institution: [Google Indexer](#) [Sign In as Personal Subscriber](#) · [Oxford Journals](#) · [Mathematics & Physical Sciences](#) · [IEICE-Transactions on Communications](#) ...

ietcom.oxfordjournals.org/cgi/reprint/E89-B/12/3363 - [Similar pages](#) - [Note this](#)

Pilot-aided chip-interleaved DS-CDMA transmission over time ...

Title: Pilot-aided **chip-interleaved** DS-CDMA transmission over time-varying channels

Authors: Na, Yanxin; Saquib, Mohammad; Win, Moe Z. Affiliation: AA(The ...

adsabs.harvard.edu/abs/2005SPIE.5847...61N - [Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((giannakis<in>metadata) <and> (interleaved<in>metadata))<and> (chips..."

☒ e-mail

Your search matched 5 of 1551427 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. **Chip-interleaved block-spread code division multiple access**
 Shengli Zhou; Giannakis, G.B.; Le Martret, C.;
Communications, IEEE Transactions on
 Volume 50, Issue 2, Feb. 2002 Page(s):235 - 248
 Digital Object Identifier 10.1109/26.983320
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(347 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Chip-interleaved block-spread CDMA versus DS-CDMA for cellular downlink comparative study**
 Shengli Zhou; Pengfei Xia; Leus, G.; Giannakis, G.B.;
Wireless Communications, IEEE Transactions on
 Volume 3, Issue 1, Jan. 2004 Page(s):176 - 190
 Digital Object Identifier 10.1109/TWC.2003.821166
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(600 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Chip-interleaved block-spread CDMA for the downlink with inter-cell inter hand-off**
 Shengli Zhou; Pengfei Xia; Leus, G.; Giannakis, G.B.;
Circuits and Systems, 2002. ISCAS 2002. IEEE International Symposium on
 Volume 1, 26-29 May 2002 Page(s):I-841 - I-844 vol.1
 Digital Object Identifier 10.1109/ISCAS.2002.1009972
[AbstractPlus](#) | Full Text: [PDF\(524 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Chip-interleaved block-spread CDMA or DS-CDMA for cellular downlink?**
 Leus, G.; Pengfei Xia; Shengli Zhou; Giannakis, G.B.;
Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02). International Conference on
 Volume 3, 13-17 May 2002 Page(s):III-2305 - III-2308 vol.3
 Digital Object Identifier 10.1109/ICASSP.2002.1005144
[AbstractPlus](#) | Full Text: [PDF\(523 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **On the role of linear precoding in signal processing for wireless**
 Giannakis, G.B.;
Statistical Signal Processing, 2001. Proceedings of the 11th IEEE Signal Proc

[on](#)


6-8 Aug. 2001 Page(s):13

Digital Object Identifier 10.1109/SSP.2001.955209

[AbstractPlus](#) | [Full Text: PDF\(19 KB\)](#) [IEEE CNF](#)

[Rights and Permissions](#)

Indexed by



[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE –

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Google](#)

resilient ISI MUI interleaved

[Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

Web

Results 1 - 10 of about 138 for **resilient ISI MUI interleaved**. (0.14 seconds)

Block Precoding for MUI/ISI-Resilient Generalized Multicarrier ...

0.5: Chip-Interleaved Block-Spread Code Division Multiple Access - Zhou, Giannakis, ... 2

Load-adaptive MUI/ISI-resilient generalized multi-carrier CD. ...

citeseer.ist.psu.edu/500703.html - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

Chip-Interleaved Block-Spread Code Division Multiple Access - Zhou ...

0.5: Block Precoding for MUI/ISI-Resilient Generalized.. - Wang, Giannakis (2001)

(Correct) ... 1.2: Chip-Interleaved Block-Spread CDMA For The Downlink. ...

citeseer.ist.psu.edu/zh02chipinterleaved.html - 25k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from citeseer.ist.psu.edu](#)]

[PDF] Chip-interleaved block-spread code division multiple access ...

File Format: PDF/Adobe Acrobat

explains the acronym chip-interleaved block-spread CDMA ... "Block-precoding for MUI/ISI-resilient generalized multi-carrier ...

ieeexplore.ieee.org/iel5/26/21199/00983320.pdf?arnumber=983320 -

[Similar pages](#) - [Note this](#)

[PDF] Multistage block-spreading for impulse radio multiple access ...

File Format: PDF/Adobe Acrobat

to MUI and ISI. Chip-interleaved block-spread code-division ... "Block precoding for MUI/ISI-resilient generalized multicarrier ...

ieeexplore.ieee.org/iel5/49/24076/01097842.pdf - [Similar pages](#) - [Note this](#)

[[More results from ieeexplore.ieee.org](#)]

2-Dimensional OVFS Spread/Chip-Interleaved CDMA -- LIU and ADACHI ...

In this paper, we propose a generalized chip-interleaved CDMA with 2-dimensional ... [11]

Z. Wang and G.B. Giannakis, "Block precoding for MUI/ISI-resilient ...

ietcom.oxfordjournals.org/cgi/content/refs/E89-B/12/3363 - [Similar pages](#) - [Note this](#)

Multi-user interference resilient ultra wideband (UWB ...

uB reduce a multi-user detection problem, which operates on MUI and ISI in ... Transmitter

12 converts the interleaved multi-stage block-spread chips into ...

www.freepatentsonline.com/20040240527.html - 82k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] BLOCK SPREADING FOR MULTIPATH-RESILIENT GENERALIZED MULTI-CARRIER CDMA

File Format: PDF/Adobe Acrobat - [View as HTML](#)

previous section, we will develop in this section an MUI/ISI-resilient CDMA ... signature point allocation, their spectra are interleaved and overlapped. ...

www.ece.iastate.edu/~zhengdao/group/publications/papers/wagi00b.pdf -

[Similar pages](#) - [Note this](#)

电子与信息学报031219- [Translate this page]

[4] Wang Z, Giannakis G B. Block-precoding for MUI/ISI-resilient ... [22] Zhou S,

Giannakis G B, Le Martret C. Chip-interleaved block-spread code division ...

www.wanfangdata.com.cn/qikan/periodical.Articles/dzxxk/dzxxk2003/0312/031219.htm -

[Similar pages](#) - [Note this](#)

ICC 2000

1183-1187 BibTeX · Vincent K. N. Lau: Design of Adaptive Bit **Interleaved** TCM ...
Georgios B. Giannakis: Block Spreading for **MUI/ISI-Resilient** Generalized ...
www.informatik.uni-trier.de/~ley/db/conf/icc/icc2000-3.html - 52k -
[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] A novel MUI-free CDMA transceiver for frequency-selective ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Chip-**Interleaved** Block-Spread Code Division Multiple Access ... tational complexity among
the three different **MUI-resilient** transceivers: this paper's and ...
spincom.ece.umn.edu/shengli/ciss01.pdf - [Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

resilient ISI MUI interleaved

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

uwb interleaved chip

Search

[Advanced Search](#)
[Preferences](#)[New! View and manage your web history](#)

Web

Results 1 - 10 of about 17,000 for **uwb interleaved chip**. (0.17 seconds)**[PDF] A MULTICARRIER CHIP-INTERLEAVED MULTIUSER UWB SYSTEM Kai Yang ...**

File Format: PDF/Adobe Acrobat

Here, we propose a multicarrier **interleave**-division. multiple-access scheme (MC-IDMA) for the uplink **UWB**. transmission. The **chip**-wise interleaving at the ...

ieeexplore.ieee.org/iel5/9711/30652/01415712.pdf - [Similar pages](#) - [Note this](#)

[PDF] A Low-Rate Code-Spread and Chip-Interleaved Time-Hopping UWB System

File Format: PDF/Adobe Acrobat

the **chip-interleaved** multiuser TH-**UWB** system. Section III. presents the **chip**-level iterative ... code-spread **chip-interleaved** TH-**UWB** system with iterative ...

ieeexplore.ieee.org/iel5/49/33926/01618813.pdf - [Similar pages](#) - [Note this](#)

[[More results from ieeexplore.ieee.org](#)]

[PDF] A Low-rate Code-spread and Chip-interleaved Time-hopping UWB SystemFile Format: PDF/Adobe Acrobat - [View as HTML](#)

spread **chip-interleaved** TH-**UWB** system with iterative mul-. tiuser detection. The discrete time channel model proposed by. the IEEE 802.15.3a working group ...

www288.pair.com/ciss/ciss/numbered/49.pdf - [Similar pages](#) - [Note this](#)

[PDF] HIERARCHICAL POWER AND SUBCARRIER ALLOCATION FOR MULTICARRIER TWO ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

link transmission of a multicarrier **chip-interleaved** **UWB**. system. ... A multicarrier two-layer **chip**-level **interleaved** **UWB** scheme. is proposed. ...

www288.pair.com/ciss/ciss/numbered/110.pdf - [Similar pages](#) - [Note this](#)

ICASSP 2005

Title:, A Multicarrier **Chip-interleaved** Multiuser **UWB** System. Authors:, Kai Yang; Columbia University. Xiaodong Wang; Columbia University ...

www.icassp2005.com/Papers/viewpapers.asp?papernum=2253 - 6k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[the digital integrated circuits & systems group @ mit](#)

This is the lab's first **UWB**-related **chip**, consisting of a LNA, a FLASH time-**interleaved** ADC, and a self-biased PLL. This **chip** was used to test functionality ...

www-mtl.mit.edu/researchgroups/icsystems/gallery.html - 37k -

[Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] Dual Scalable 500MS/s, 5b Time-Interleaved SAR ADCs for UWB ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

Dual Scalable 500MS/s, 5b Time-**Interleaved** SAR. ADCs for **UWB** Applications ...

Abstract— A dual 500MS/s, 5b ADC **chip** is implemented in ...

[www-mtl.mit.edu/researchgroups/icsystems/](http://www-mtl.mit.edu/researchgroups/icsystems/pubs/conferences/2005/ginsburg_cicc2005_paper.pdf)

pubs/conferences/2005/ginsburg_cicc2005_paper.pdf - [Similar pages](#) - [Note this](#)

[PDF] Scarcely Populated UWB-IR Systems with Interleaved Coding ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

Scarcely Populated **UWB**-IR Systems with. **Interleaved** Coding-Modulation on Multipath ... deterministic **chip** interleaver based on time-hopping hyperbolic ...

www.ewi.tudelft.nl/.../doc/Michal_Pietrzyk_ICUWB_2006_paper.pdf -

[Similar pages](#) - [Note this](#)

[PDF] [Multi-User UWB-IR Systems with Interleaved Coding-Modulation on ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Section II presents. the considered **UWB-IR** system model with particular insight. into the principle of building the **chip** interleaver. Moreover, ...

[www.ewi.tudelft.nl/.../doc/Michal_Pietrzyk_final_paper.pdf](#) - [Similar pages](#) - [Note this](#)

[PDF] [Dual Scalable 500 MS/s, 5b Time- Interleaved SAR ADCs for UWB ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Interleaved SAR ADCs for **UWB**. Applications. Brian P. Ginsburg, Anantha ... Outputs sorted to maintain constant time ordering at **chip** interface ...

[mtlweb.mit.edu/researchgroups/icsystems/uwb/docs/ginsburg_cicc2005_slides.pdf](#) -

[Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

uwb interleaved chip

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

multistage "impulse radio"

[Advanced Search](#)
[Preferences](#)

New! [View and manage your web history](#)

Web

Results 1 - 10 of about 572 for **multistage "impulse radio"**. (0.15 seconds)

[PDF] **Multistage block-spreading for impulse radio multiple access ...**

File Format: PDF/Adobe Acrobat

Multistage Block-Spreading for Impulse Radio. Multiple Access Through ISI Channels.

Liuqing Yang, Student Member, IEEE and Georgios B. Giannakis, Fellow, ...

ieeexplore.ieee.org/iel5/49/24076/01097842.pdf - [Similar pages](#) - [Note this](#)

[PDF] **Impulse radio multiple access through ISI channels with multi ...**

File Format: PDF/Adobe Acrobat

Page 1. Page 2. Page 3. Page 4. Page 5. Page 6.

ieeexplore.ieee.org/iel5/7878/21705/01006374.pdf - [Similar pages](#) - [Note this](#)

[[More results from ieeexplore.ieee.org](#)]

Impulse Radio Multiple Access Through ISI Channels With Multi ...

L. Yang and G. B. Giannakis, "Impulse radio multiple access through ISI channels with multi-stage block-spreading," in Proc. UWB System Techn. ...

citeseer.ist.psu.edu/yang02impulse.html - 18k - [Cached](#) - [Similar pages](#) - [Note this](#)

Multistage Block-Spreading for Impulse Radio Multiple Access ...

Transmitting digital information using ultra short pulses, impulse radio IR has received increasing interest for multiple access MA When IRMA systems have ...

citeseer.ist.psu.edu/571889.html - 24k - [Cached](#) - [Similar pages](#) - [Note this](#)

[[More results from citeseer.ist.psu.edu](#)]

[PDF] **Optimal and Suboptimal Linear Receivers for Impulse Radio UWB Systems**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

[13] S.-H. Wu, U. Mitra, and C.-C. J. Kuo, "Multistage MMSE receivers. for ultra-wide bandwidth impulse radio communications," Proc. IEEE ...

www.merl.com/reports/docs/TR2006-067.pdf - [Similar pages](#) - [Note this](#)

[PDF] **BLIND MULTIUSER DETECTION FOR IMPULSE RADIO UWB SYSTEMS**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

[6] L. Yang and G. B. Giannakis, "Multistage block-spreading. for impulse radio multiple access through ISI channels," IEEE J. Selected Areas Commun., vol. ...

hccac.hawaii.edu/tcwct03/papers/s27p08.pdf - [Similar pages](#) - [Note this](#)

A review on multiple access interference cancellation and ...

[13] Yang, L. and Giannakis, G.B., Multistage block-spreading for impulse-radio multiple access through ISI channels. IEEE J. Select. Areas Commun. ...

[portal.acm.org/citation.cfm?id=1221592.1221926&](http://portal.acm.org/citation.cfm?id=1221592.1221926&coll=&dl=ACM&CFID=15151515&CFTOKEN=6184618)

[coll=&dl=ACM&CFID=15151515&CFTOKEN=6184618](http://portal.acm.org/citation.cfm?id=1221592.1221926&coll=&dl=ACM&CFID=15151515&CFTOKEN=6184618) - [Similar pages](#) - [Note this](#)

IEEE Journal on Selected Areas in Communications

Multiple Access for UWB Impulse Radio with Pseudochaotic Time Hopping ... Multistage Block-Spreading for Impulse Radio Multiple Access Through ISI Channels ...

www.jsac.ucsd.edu/TOC/2002/dec02.html - 5k - [Cached](#) - [Similar pages](#) - [Note this](#)

ECS EPrints Service - Residue Number System Assisted Fast ...

... Ultra-Wideband Spread-Spectrum Multiple-Access: A Design Alternative to Impulse Radio ... In the proposed UWB system, FH is implemented using multistage ...

eprints.ecs.soton.ac.uk/8274/ - 14k - [Cached](#) - [Similar pages](#) - [Note this](#)

[PDF] **B24-1: Multistage** Frequency-Hopping Assisted Ultra-Wideband ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

posed, where the associated FH is implemented using **MultiStage** ... ferred to as **impulse radio** or time domain radio systems, which ...

eprints.ecs.soton.ac.uk/7090/01/lly-lh-icc-april-2002.pdf - [Similar pages](#) - [Note this](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

multistage "impulse radio"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google